



**Complete Assembly Line with EOL-Test-Stand for Hybrid-Heads
installed between engine and Ninespeed-Automatic-Gearbox**



Layout of the Assembly-Line (without EOL-Test-Stand)





Station H 010



Station H 020



Station H 030



Station H 040



Station H 050



Station H 060




Station H 060



Station H 070




Station H 100






Station H 110



Station H 120



Station A 130




Lifting an Handling Equipment of the Line





Station H 140




Station H 150




Station H 170



Station H 200





Station H 210



Station A 230


Station H 240




Station H 250



Station H 260




Station H 261







Station A 270

Station H 280

Station H 410



EOL-Test-Stand / Station A 415



SIEMENS

SIMOTICS 3 - (1P) 1PH8137-2DL00-0QA1 NO.Y L3614 6054 / 2 001
RN 009

IMB3 IP 55 TH.CL 180 (H)

U _N [V]	I _N [A]	P _N [kW]	f _N [Hz]	n _N [rpm]		
371 Y	83	48,4	372	83,3	2500	S1
415 Y	82	53,4	417	93,3	2800	S1
449 Y	81	56,9	447	100	3000	S1

I_{max} (A) 235 M_{max} (Nm) 460 n_{max} (rpm) 4500
PT1000 FNCODER IC221 1 B35


m: 130 kg

Siemens AG, Industriestr. 1, DE-97616 Bad Neustadt Made in Germany

CE
EN 60034
EAC
c RU US



Stations A 630-3 + A 630-4



Station A 610



All Information under reserve!

MAYNARDS EUROPE

Station A 615



Our actual Terms & Conditions are valid!

E inquiry@maynards.com